

BEPHARCO WITH GLOBAL PARTNERS



Zydus
Cadila



PRO.MED.CS
Praha a.s.



PharmaLink

SANAVITA
PHARMACEUTICALS

DaeWŏn



TOP 50

PHARMACEUTICAL DISTRIBUTION &
TRADING COMPANIES IN VIETNAM
2020



CATALOGUE

MEDICINE AND HEALTHCARE PRODUCTS

BEN TRE PHARMACEUTICAL JOINT STOCK COMPANY




BEPHARCO


www.bepharco.com

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

BECOLUGEL-O Suspension - Box of 20 sachets x 10 ml

	<p>In 10 ml suspension contains: Aluminium oxide 291 mg, Magnesium hydroxide 196 mg, Oxethazaine 20 mg</p>	<p>Gastritis, duodenal ulcer, increasing gastric acid secretion, oesophagitis, dyspeptic abdominal pain</p>	<p>Oral use 0.5 to 2 hours after meal Adults: 0.5 to 1 sachet/time, 4 times a day</p>
---	--	---	---


BECOLUGEL-S Suspension - Box of 20 sachets x 10 ml

	<p>In 10 ml suspension contains: Aluminium oxide 400 mg, Magnesium hydroxide 800.4 mg, Simethicone 80 mg</p>	<p>Gastritis, duodenal ulcer, increasing gastric acid secretion, oesophagitis, dyspeptic abdominal pain</p>	<p>Oral use 0.5 to 2 hours after meal Adults: 0.5 to 1 sachet/time, 4 times a day</p>
---	--	---	---

GASMAGEL Suspension - Box of 20 sachets x 15 ml

	<p>In 15 ml suspension contains: Almagate 1000 mg</p>	<p>Gastritis, peptic ulcer, increasing gastric acid secretion, GERD</p>	<p>Oral use 0.5 to 2 hours after meal Over 12 years old and adults: 1 sachet/time, 4 times a day From 6 to 12 years old: Half of adult dose</p>
---	---	---	---


THIDAMAGEL Suspension - Box of 20 sachets x 15 ml

	<p>In 15 ml suspension contains: Almagate 1500 mg</p>	<p>Gastritis, peptic ulcer, increasing gastric acid secretion, GERD</p>	<p>Oral use 0.5 to 2 hours after meal Over 12 years old and adults: 1 sachet/time, 3 times a day From 6 - 12 years old: Half of adult dose</p>
---	---	---	--

BOSUZINC Syrup - Box of 20 sachets x 5 ml
- Bottle of 30 ml

	<p>In 5 ml syrup contains: Zinc 10 mg</p>	<p>Treatment and prevention of zinc deficiency</p>	<p>6 - 12 months: 2.5 ml/day 1 - 3 years old: 5 ml/day 3 - 6 years old: 7.5 ml/day Over 6 years old and adults: 10 ml/day</p>
---	---	--	---

BECOLORAT Syrup - Box of 20 sachets x 5 ml
- Bottle of 30 ml / 60 ml

	<p>In 5 ml syrup contains Desloratadine 2.5 mg</p>	<p>Antihistamine</p>	<p>2 - 5 years old: 2.5 ml once a day 6 - 11 years old: 5 ml once a day From 12 years old and adults: 10 ml once a day</p>
---	--	----------------------	--

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

BECORIDONE Suspension - Bottle of 25 ml / 30ml / 55 ml



In 1 ml suspension contains:
Domperidone 1 mg

Vomiting and nausea

Maximum 3 times a day
From 12 years old (or over 35 kg): 10 ml/time
Under 12 years old (or under 35 kg):
0.25 - 0.75 mg/kg/time

BEFABROL Syrup - Box of 20 sachets x 5 ml
- Bottle of 30 ml / 60 ml



In 5 ml syrup contains:
Ambroxol HCl 15 mg

Respiratory disease with abnormal
increase in bronchial secretion

Over 12 years old and adults:
10 - 20 ml/time, 2 - 3 times a day
6 - 12 years old: 15 ml/time, twice a day
4 - 5 years old: 10 ml/time, twice a day
2 - 3 years old: 5 ml/time, twice a day

BEFADOL KID Suspension - Box of 20 sachets x 5 ml
- Bottle of 60 ml



In 5 ml suspension contains:
Paracetamol 150 mg

Fever and pain relief

Oral use every 4 - 6 hours
Adults: 15 - 20 ml/time
7 - 12 years old: 10 - 15 ml/time
1 - 7 years old: 5 - 10 ml/time
3 - 12 months old: 2.5 - 5 ml/time

KIDIFUNVON Syrup - Bottle of 60 ml



In 5 ml syrup contains:
Bromhexine 4 mg,
Phenylephrine HCl 2.5 mg,
Guaifenesin 50 mg

Respiratory disease with abnormal
increase in bronchial secretion

3 - 4 times a day
Over 12 years old: 10 ml/time
6 - 12 years old: 7.5 ml/time
4 - 6 years old: 5 ml/time
2 - 4 years old: 2.5 ml/time

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

CẨM XUYÊN HƯƠNG

Box of 10 blisters x 10 capsules



From herbal ingredients	Treat and prevent cough, cold and flu symptoms	3 - 4 times a day 30 months - 12 years old: 1 - 2 capsules/time Over 12 years old and adults: 3 - 4 capsules/time
-------------------------	--	---

AN THẦN

Box of 5 blisters x 10 capsules



From herbal ingredients	Insomnia, sleeping difficulty, stress, anxiety, palpitation	2 - 3 capsules/time , 3 times a day
-------------------------	---	-------------------------------------

HOẠT HUYẾT DƯỠNG NÃO DUTAMGINKO

Box of 5 blisters x 20 film/sugar coated tablets



From herbal ingredients	Cerebrovascular insufficiency, cognitive disorders, dementia, dizziness	2 - 3 times a day Children: 1 tablet/time Adults: 2-3 tablets/time
-------------------------	---	--

PHONG TÊ THẤP

Box of 3 blisters x 10 capsules



From herbal ingredients	Relieve pains due to back pain, arthritis, muscle fatigue, bone aches	3 capsules/time, 3 times a day
-------------------------	---	--------------------------------

TAM THẤT BỔ MÁU - YB

Box of 2 blisters x 10 capsules



From herbal ingredients	Treatment of anemia, fatigue, dizziness	Adults: 2 capsules/time, 2 - 3 times a day Children: Half of adults dose
-------------------------	---	---

ENTEKA - YB

Box of 2 blisters x 10 capsules



From herbal ingredients	Hypercholesterolemia, headache, migraine, angina due to circulatory insufficiency	2 - 3 times a day Adults: 2-3 capsules/time Children: 1-2 capsules/time
-------------------------	---	---

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

CẢM CÚM - HO YBA

Box of 10 blisters x 10 capsules



From herbal ingredients

Treat and prevent cough, cold and flu symptoms

3 - 4 times a day
From 12 years old and adults:
3 - 4 capsules/time
Under 12 years old: 1 - 2 capsules/time

FOLIAT DẠ DÀY

Box of 10 blisters x 10 capsules



From herbal ingredients

Peptic ulcer, duodenal ulcer, bloating, heartburn, indigestion

Adults: 1-2 capsules/time, 3 times a day
Children: 1 capsule/time, twice a day

HƯƠNG LIÊN YBA

Box of 2 blisters x 10 capsules



From herbal ingredients

Diarrhea, digestive disorders, enteritis, colitis

2-7 years old: 1 capsules/time, twice a day
8-12 years old: 1 capsule/time, 3 times a day
Over 12 years old and adults:
2 capsules/time, 3 times a day

BỔ HUYẾT ĐIỀU KINH

Box of 5 blisters x 10 capsules



From herbal ingredients

Support hormonal balance and blood tonic, irregular menstruation, dysmenorrhea

3 capsules/time, 2 - 3 times a day

CẢM XUYÊN HƯƠNG

Granules - Box of 20 sachets x 2 g



From herbal ingredients

Treat and prevent cough, cold and flu symptoms

2 - 3 times a day
6 - 12 months old: 1 sachet/time
1 - 5 years old: 1 sachet/time
5 - 12 years old: 2 sachets/time
From 12 years old: 2 sachets/time

CẢM XUYÊN HƯƠNG

Syrup - Bottle of 60 ml




From herbal ingredients

Treat and prevent cough, cold and flu symptoms


2 - 3 times a day
6 months - 7 years old: 7.5 ml/time
7 - 12 years old: 10 ml/time
Over 12 years old: 15 ml/time

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

CẢM XUYÊN HƯƠNG PLUS Syrup - Bottle of 60 ml / 100 ml

	From herbal ingredients	Treat and prevent cough, cold and flu symptoms	Twice a day 6 months - 1 years old: 5 ml/time 1 - 5 years old: 7.5 ml/time 5 - 10 years old: 10 ml/time
---	-------------------------	--	--


BỔ PHẾ TIÊU ĐỜM Syrup - Bottle of 125 ml

	From herbal ingredients	Dry cough, cough with thick sputum	4 times a day 30 months - 5 years old: 5 ml/time 6 - 10 years old: 10 ml/time Over 10 years old and adults: 15 ml/time
---	-------------------------	------------------------------------	---


THUỐC HO THẢO DƯỢC Syrup - Bottle of 100 ml

	From herbal ingredients	Dry cough, cough with thick sputum, bronchitis	2 - 3 times a day 5 - 12 years old: 10 ml/time Over 12 years old: 15 ml/time
---	-------------------------	--	--


BỔ TỶ Syrup - Bottle of 125 ml

	From herbal ingredients	Stimulating appetite	3 - 4 times a day 6 months - 3 years: 10 ml/time 3 - 12 years old: 15 ml/time Over 12 years old and adults: 20 ml/time
---	-------------------------	----------------------	---

H'TIÊN YBA Syrup - Bottle of 125 ml

	From herbal ingredients	Insomnia, stimulating appetite	3 times a day 6 - 12 years: 15 ml/time Over 12 years old and adults: 20 ml/time
---	-------------------------	--------------------------------	---

ĐẠI TRÀNG HOÀN Pills - Box of 10 sachets x 4 g


	From herbal ingredients	Colitis, diarrhea, bloating and dyspepsia	2 sachets/time, 3 times a day
---	-------------------------	---	-------------------------------

Product	Composition	Indication	Dosage & Administration
<p>HƯƠNG LIÊN HOÀN Pills - Box of 10 sachets x 4 g</p> 	From herbal ingredients	Diarrhea, digestive disorders, enteritis, colitis	3 - 4 times a day 2 - 7 years: $\frac{1}{3}$ sachet/time 8 - 12 years old: $\frac{1}{2}$ sachet/time Over 12 years old and adults: 1 sachet/time
<p>TRITA - YBA Pills - Box of 10 sachets x 4 g</p> 	From herbal ingredients	Treatment of constipation and hemorrhoids	Over 12 years old and adults: 1 - 2 sachets/time, 3 times a day 6 - 11 years old: Half dose of adults
<p>HOÀN AN THAI Pills - Box of 10 sachets x 5 g</p> 	From herbal ingredients	Threatened miscarriage, menorrhagia, loss of appetite, dizziness during pregnancy	2 sachets/time, 3 times a day
<p>ACOCINA Tincture - Bottle of 30 ml / 40 ml / 80 ml</p> 	From herbal ingredients	Relieve aches and pains of the muscles/joints	Apply on skin 3 - 4 times a day
<p>CẨM XUYÊN HƯƠNG Bath water - Bottle of 250 ml</p> 	From herbal ingredients	Relieves and prevents the symptoms of flu, colds	Foot bath: 10 ml of solution mixed in 2 liters of water, soak for 15 - 20 minutes Bathing: 20 ml of solution mixed in 10 liters of water, bath for 10-15 minutes
<p>CẨM XUYÊN HƯƠNG Bath powder - Bag 100 g</p> 	From herbal ingredients	Relieves and prevents the symptoms of flu, colds	10 g mixed in 2 liters of boiling water, filter and mix with warm water for bathing


Product	Composition	Indication	Dosage & Administration
<p>ALLER FORT Box of 10 blisters x 10 film coated tablets Bottle of 100 film coated tablets</p> 	<p>Each film coated tablet contains: Chlorpheniramine 2 mg, Phenylephrine 10 mg</p>	<p>Allergy rhinitis, antihistamine</p>	<p>1 tablet/time, 3 times a day</p>
<p>BECOBROL 30 Box of 2 blisters x 10 tablets</p> 	<p>Each tablet contains: Ambroxol HCl 30 mg</p>	<p>Respiratory disease with abnormal increase in bronchial secretion</p>	<p>2 - 3 times a day 5 - 10 years old: 1/2 tablet/time Over 10 years old and adults: 1 tablet/time</p>
<p>BECOCYSTEIN Box of 10 blisters x 10 capsules</p> 	<p>Each hard capsule contains: Acetylcysteine 200 mg</p>	<p>Respiratory disease with abnormal increase in bronchial secretion</p>	<p>2 - 6 years old: 1 capsule/time, twice a day Over 6 years old and adults: 1 capsule/time, 3 times a day</p>
<p>BECOHISTA Box of 10 blisters x 10 film coated tablets</p> 	<p>Each film coated tablet contains: Cetirizine HCl 10 mg</p>	<p>Allergy rhinitis, antihistamine</p>	<p>From 6 years old and adults: 1 tablet once a day</p>
<p>BECOPANTHYL Box of 3 blisters x 10 film coated tablets</p> 	<p>Each film coated tablet contains: Fenofibrate 160 mg</p>	<p>Hypercholesterolemia, dyslipidemia</p>	<p>Adults: 1 tablet once a day Over 10 years old: Maximum 5 mg/kg/day</p>
<p>BECORAC Box of 2 blisters x 10 film coated tablets</p> 	<p>Each film coated tablet contains: Mefenamic acid 250 mg</p>	<p>Anti-inflammatory and pain relief</p>	<p>Adults: 2 tablet/time, 3 times a day</p>

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------


BECOSEMID Box of 10 blisters x 10 film coated tablets

	<p>Each tablet contains: Furosemide 40 mg</p>	<p>Edema and hypertension</p>	<p>Children: 2 to 6 mg/kg/day Adults: 80 mg/time, up to twice a day</p>
---	---	-------------------------------	---


BECOSTURON Box of 5 blisters x 10 tablets

	<p>Each tablet contains: Cinnarizine 25 mg</p>	<p>Dizziness, lightheadedness, tinnitus, snatching eyeballs, nausea & vomiting</p>	<p>Please see the leaflet</p>
---	--	--	-------------------------------


BEcotAREL Box of 2 blisters x 30 film coated tablets

	<p>Each film coated tablet contains: Trimetazidine HCl 20 mg</p>	<p>Angina pectoris and vascular diseases</p>	<p>Adults: 1 tablet/time, 3 times a day</p>
---	--	--	---


BEFADOL EXTRA Box of 10 blisters x 10 tablets

	<p>Each tablet contains: Paracetamol 500 mg, Caffeine 65 mg</p>	<p>Fever and pain relief</p>	<p>From 12 years old and adults: 1 - 2 tablets every 4 - 6 hours. Maximum 8 tablets</p>
---	---	------------------------------	---

BEFADOL PLUS - Box of 10 blisters x 10 film coated tablets
- Bottle of 100 film coated tablets

	<p>Each tablet contains: Paracetamol 650 mg</p>	<p>Fever and pain relief</p>	<p>From 12 yrs old: 1 or 2 tablets every 4 to 6 hours. Maximum 6 tablets</p>
---	---	------------------------------	--

BEFATROPYL Box of 5 blisters x 10 film coated tablets

	<p>Each film coat tablet contains: Piracetam 800 mg</p>	<p>Dementia, memory dysfunction, dizziness and seizure</p>	<p>30 - 160 mg/kg/day depends on indications</p>
---	---	--	--

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

BEPAMIN

Box of 25 blisters x 20 tablets



Each tablet contains: Paracetamol 500 mg, Chlorpheniramine 2 mg	Treatment of fever and flu symptoms	Adults: 1 - 2 tablets, 2 - 3 times a day
---	-------------------------------------	--

CETIRIZIN

Box of 10 blisters x 10 film coated tablets



Each film coated tablet contains: Cetirizine 10 mg	Allergy rhinitis, antihistamine	Over 12 years old and adults: 1 tablet once a day
---	---------------------------------	--

CLORPHENIRAMIN 4 mg

Bottle of 500 tablets



Each tablet contains: Chlopheniramine 4mg	Antihistamine	Use every 4 - 6 hours From 6 - 12 years old: 1/2 tablet Over 12 years old: 1 tablet
--	---------------	---

CORITYNE

Box of 3 blisters x 10 tablets



Each tablet contains: Loratadine 10 mg	Allergy rhinitis, antihistamine	From 2 - 12 years old and > 30 Kg: 1 tablet/day Over 12 years old: 1 tablet/day
---	---------------------------------	--

DEXTROMETHORPHAN

- Bottle of 100 tablets
- Bottle of 100 capsules



Each tablet contains: Dextromethorphan 10 mg	Cough relief	Please see the leaflet
---	--------------	------------------------

DOMPERIDONE


Box of 10 blisters x 10 tablets




Each tablet contains: Domperidone 10 mg	Vomiting and nausea	From 12 years old: 1 tablet/time Maximum 3 times/day
--	---------------------	---

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------


DROTACOLIC Box of 3 blisters x 10 tablets

	<p>Each tablet contains: Drotaverine HCl 40 mg</p>	<p>Relieve spasms of the stomach, intestines, urology and womb</p>	<p>1 - 6 years old: 1/2 - 1 tablet/time, 2 - 3 times a day Over 6 years old: 1 tablet/time, 2 - 3 times a day Adults: 1 - 2 tablets/time, 3 times a day</p>
---	--	--	---


ESOPRAZOL Box of 3 blisters x 10 enteric-coated pellets capsule

	<p>Each capsule contains: Esomeprazole 20 mg</p>	<p>Peptic ulcer, GERD, Zollinger-Ellison</p>	<p>Please see the leaflet</p>
---	--	--	-------------------------------


FORCLAMID Box of 3 blisters x 10 tablets

	<p>Each tablet contains: Glimepiride 3 mg</p>	<p>Type II diabetes</p>	<p>Initially 1 mg once a day Maximum 8 mg once a day</p>
---	---	-------------------------	--


FOSTERVITA Box of 10 blisters x 10 film coated tablets

	<p>Each film coated tablet contains: Thiamine mononitrate 100 mg, Pyridoxine HCl 200 mg, Cyanocobalamine 200 µg</p>	<p>Treatment of vitamin B deficiency</p>	<p>From 12 years old and adults: 1 tablet once a day</p>
---	---	--	--

MELOXICAM Box of 10 blisters x 10 tablets

	<p>Each tablet contains: Meloxicam 7.5 mg</p>	<p>Relieve pain, swelling, and stiffness caused by arthritis</p>	<p>1 - 2 tablets/day</p>
---	---	--	--------------------------

MEPRED Box of 3 blisters x 10 tablets

	<p>Each tablet contains: Methylprednisolone 4 mg; or Methylprednisolone 16 mg</p>	<p>Inflammatory and allergy resistance, prevent organ rejection after a transplant</p>	<p>Please see the leaflet</p>
--	---	--	-------------------------------

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

MEYERSINA

Box of 1 blister x 4 film coated tablets



Each film coated tablet contains: Sildenafil 50 mg; or Sildenafil 100 mg	Treatment of erectile dysfunction	Adults: 50 - 100 mg/time/day
--	-----------------------------------	------------------------------

PIROXICAM

- Box of 10 blisters x 10 capsules
- Bottle of 100 capsules



Each capsule contains: Piroxicam 20 mg	Relieve pain, swelling, and stiffness caused by arthritis	1-2 tablets/time/day
---	---	----------------------

PREDNISOLON

Bottle of 500 tablets



Each tablet contains: Prednisolone 5 mg	Inflammatory and Immunosuppression	Adults: 5 - 60 mg/day Children: 0.14 - 2 mg/kg/day
--	------------------------------------	---

SORBITOL

Powders - Box of 20 sachets x 5 g



Each sachet contains: Sorbitol 5 g	Constipation and indigestion	Adults: 1-3 sachets/time, 3 times a day Children: half the adult dose
---------------------------------------	------------------------------	--

SPAS-MEYER

Box of 3 blisters x 10 film coated tablets




Each film coated tablet contains: Alverine citrate 40 mg	Relieve spasms of the stomach, intestines, urology and womb	Adults: 1 - 2 tablets/time, 1 - 3 times a day
---	---	---

Product	Composition	Indication	Dosage & Administration
<p>BIOLAC 500 mg</p> <p>- Box of 10 blisters x 10 capsules - Bottle of 100 capsules</p> 	<p>Each capsule contains: Living bacteria: L.acidophilus $10^6 - 10^7$ CFU, L.sporogenes $10^6 - 10^7$ CFU, L.kefir $10^6 - 10^7$ CFU</p>	<p>Maintains the balance of gut microflora</p>	<p>Over 6 years old: 1 - 2 capsules daily Adults: 2 - 4 capsules daily</p>
<p>BIOSUBTYL-II</p> <p>Powders - Box of 25 sachets x 1 g - Box of 50 sachets x 1 g</p> 	<p>Each sachet contains: Bacillus subtilis $10^7 - 10^8$ CFU</p>	<p>Maintains the balance of gut microflora</p>	<p>Children: 1 - 2 sachets daily Adults: 2 - 4 sachets daily</p>
<p>ENTEROGOLDS</p> <p>- Box of 6 blisters x 10 capsules - Bottle of 60 capsules</p> 	<p>Each capsule contains: Bacillus clausii spores 2×10^9 CFU</p>	<p>Maintains the balance of gut microflora</p>	<p>Over 6 years old: 1 - 2 capsules daily Adults: 3 - 4 capsules daily</p>
<p>ENTEROGRAN</p> <p>Powders - Box of 20 sachets x 1 g</p> 	<p>Each sachet contains: Bacillus clausii spores 2×10^9 CFU</p>	<p>Maintains the balance of gut microflora</p>	<p>Children: 1 - 2 sachets daily Adults: 3 - 4 sachets daily</p>
<p>ORESOL-II 4,15G</p> <p>Powders - Box of 40 sachets x 4.15 g</p> 	<p>Each sachet contains: Glucose 2.70 g, Sodium chloride 0.52 g, Sodium citrate dihydrate 0.58 g, Potassium chloride 0.30 g</p>	<p>Restoration of fluid and electrolytes balance</p>	<p>Dosage depends on age Please see the leaflet</p>

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

AMOXYCILLIN 500 mg

Box of 10 blisters x 10 capsules



Each capsule contains:
Amoxicillin 500 mg

Treatment of infections with
susceptible bacteria

Please see the leaflet

AMPICILIN 500 mg

Box of 10 blisters x 10 capsules



Each capsule contains:
Ampicillin 500 mg

Treatment of infections with
susceptible bacteria

Please see the leaflet

CEPHALEXIN 500 mg

Box of 10 blisters x 10 capsules



Each capsule contains:
Cephalexin 500 mg

Treatment of infections with
susceptible bacteria

Please see the leaflet

TETRACYCLIN 500 mg

Box of 10 blisters x 10 capsules



Each capsule contains:
Tetracycline 500 mg

Treatment of infections with
susceptible bacteria

Please see the leaflet

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

BEATIL

Box of 3 blisters x 10 tablets



Each tablet contains:
Perindopril 4 mg / Amlodipine 5 mg;
or Perindopril 4 mg / Amlodipine 10 mg

Hypertension

1 tablet once a day before meals

CAVINTON

Box of 2 blisters x 25 tablets



Each tablet contains:
Vinpocetine 5 mg

Treatment of cerebrovascular disorders such as stroke and dementia

5 to 10 mg/time, 3 times a day
Initially 20 mg/day

CAVINTON FORTE

Box of 2 blisters x 15 tablets



Each tablet contains:
Vinpocetine 10 mg

Treatment of cerebrovascular disorders such as stroke and dementia

5 to 10 mg/time, 3 times a day
Initially 20 mg/day

DIAPHYLLIN VENOSUM

Injection solutions - Box of 5 ampoules x 5 ml



In 5 ml solution contains:
Theophylline ethylenediamine 240 mg

Asthma, chronic bronchitis, and COPD

Please see the leaflet

EDNYT

Box of 3 blisters x 10 tablets



Each tablet contains:
Enalapril 5 mg; or 10 mg

Hypertension

Initially 5 mg/day
Maximum 40 mg

LISONORM

Box of 3 blisters x 10 tablets



Each tablet contains:
Amlodipine 5 mg, Lisinopril 10 mg

Hypertension

1 tablet once a day

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

MYDOCALM Box of 3 blisters x 10 film coated tablets



Each film coated tablet contains: Tolperisone HCl 50 mg; or 150 mg	Muscle spasticity after stroke	1 - 3 tablets/time, 3 times a day
---	--------------------------------	-----------------------------------

NORMODIPINE Box of 3 blisters x 10 tablets



Each tablet contains: Amlodipine 5 mg	Hypertension	5 mg once a day Maximum 10 mg
--	--------------	----------------------------------

VEROSPIRON 25 mg Box of 1 blister x 20 tablets



Each tablet contains: Spironolactone 25 mg	Hyperaldosteronism, hypokalemia, heart failure, edema	Please see the leaflet
---	--	------------------------

VEROSPIRON 50 mg Box of 3 blisters x 10 capsules



Each hard capsule contains: Spironolactone 50 mg	Hyperaldosteronism, hypokalemia, heart failure, edema	Please see the leaflet
---	--	------------------------

PANANGIN tab Bottle of 50 film coated tablets



Each film coated tablet contains: Magnesium aspartate 175 mg, Potassium aspartate 166.3 mg	All states of deficiency of potassium and magnesium	1 - 2 tablets/time, 3 times a day Maximum 9 tablets/day
--	--	--

PANANGIN Inj Concentrated solutions for injection - Box of 5 ampoules x 10 ml



In 10 ml solution contains: Magnesium aspartate 400 mg, Potassium aspartate 452 mg	All states of deficiency of potassium and magnesium	Please see the leaflet
--	--	------------------------

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

QUAMATEL

Box of 5 vials powders for injections + 5 ampoules solvent for injection



Each vial contains:
Famotidine 20 mg

Peptic ulcer, Zollinger-Ellison, GERD
and increasing gastric acid secretion

IV 20 mg each 6 to 12 hours

OXYTOCIN Inj

Injection solutions - Box of 20 blisters x 5 ampoules x 1 ml



In 1 ml contains:
Oxytocin 5 IU

Induce labor or strengthen
uterine contractions

Please see the leaflet

CAVINTON Inj

Injection solutions - Box of 10 ampoules x 2 ml



In 2 ml solution contains:
Vinpocetine 10 mg

Treatment of cerebrovascular
disorders such as stroke and
dementia

Please see the leaflet

ARDUAN

Box of 25 vials powders for injections + 25 ampoules solvent for injection



Each vial contains:
Pipecuronium 4 mg

A muscle relaxant during
anesthesia and surgical
procedure

Please see the leaflet

Product	Composition	Indication	Dosage & Administration
ALZEPIL Box of 2 blisters x 14 film coated tablets 	Each film coated tablet contains: Donepezil HCl 5 mg	Treatment for Alzheimer's symptoms	Adults: 5 - 10 mg once a day
ARIPEGIS Box of 2 blisters x 14 tablets 	Each tablet contains: Aripiprazole 10 mg, or 15 mg	Treatment for schizophrenia's symptoms	Over 15 years old: 10 -30 mg/day
CLOSTILBEGYT Box of 1 blister x 10 tablets 	Each tablet contains: Clomiphene citrate 50 mg	Induce ovulation in women who do not produce ova	Please see the leaflet
DELORIN Box of 4 blisters x 7 film coated tablets 	Each film coated tablet contains: Rosuvastatin 10 mg	Hypercholesterolemia, prevent heart and blood vessel disease	Please see the leaflet
EGOLANZA Box of 4 blisters x 7 film coated tablets 	Each film coated tablet contains: Olanzapine 10 mg	Treatment for schizophrenia's symptoms	Please see the leaflet
EROLIN Box of 3 blisters x 10 tablets 	Each tablet contains: Loratadine 10 mg	Allergy rhinitis, antihistamine	6 - 12 years old: 1/2 tablet once a day Over 12 years old and adults: 1 tablet once a day

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

NOCLAUD

Box of 4 blisters x 14 tablets



Each tablet contains:
Cilostazol 50 mg; or 100 mg

Treatment for leg pain due to insufficient blood flow

100 mg/time twice a day

PAXIRASOL

Box of 2 blisters x 10 tablets



Each tablet contains:
Bromhexine HCl 8 mg

Respiratory disease with abnormal secretion

2 - 6 years old: 1/2 tablet/time, 3 times a day
6 - 14 years old: 1 tablet/time, 3 times a day
Adults: 1 - 2 tablets/time, 3 times a day

POLLEZIN

Box of 2 blisters x 7 film coated tablets



Each film coated tablet contains:
Levocetirizine HCl 5 mg

Allergy rhinitis, antihistamine

From 6 years old: 1 tablet once a day

TALLITON

Box of 4 blisters x 14 tablets



Each tablet contains:
Carvedilol 25 mg; or 12.5 mg

Hypertension

Please see the leaflet

TALLITON

Box of 2 blisters x 7 tablets



Each tablet contains:
Carvedilol 6.25 mg

Hypertension

Please see the leaflet

TORVAZIN

Box of 3 blisters x 10 film coated tablets



Each film coated tablet contains:
Atorvastatin 10 mg; or 20 mg

Hypercholesterolemia, prevent heart and blood vessel disease

Initially 10 mg daily
Maximum 80 mg

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

LIDOCAIN 2%

Injection solutions - Box of 10 ampoules x 10 ml



In 10 ml solution contains:
Lidocaine HCl 200 mg

Local anesthesia in surgery

Please see the leaflet

EGILOK

Bottle of 60 tablets



Each tablet contains:
Metoprolol 100 mg

Hypertension, angina pectoris

Please see the leaflet

EROLIN

Syrup - Bottle of 120 ml



In 1 ml syrup contains:
Loratadine 1 mg

Allergy rhinitis, antihistamine

Children < 30 kg: 5 ml/time/day
Children > 30 kg: 10 ml/time/day
Over 12 years old and adults: 10 ml/time/day

HALIXOL

Syrup - Bottle of 100 ml



In 5 ml syrup contains:
Ambroxol HCl 15 mg

Respiratory disease with abnormal increase in bronchial secretion

Under 2 years old: 2.5 ml/time, twice a day
2 - 5 years old: 2.5 ml/time, 3 times a day
5 - 12 years old: 5 ml/time, 2 - 3 times a day
Over 12 years old and adults:
5 -10 ml/time, 2 - 3 times a day

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

NEOPEPTINE

Box of 10 blisters x 10 capsules



Each capsule contains: Alpha-amylase (fungi 1:800) 100 mg Papaine 100 mg, Simethicone 30 mg	Flatulence, indigestion, anorexia, poor digestion	1 capsule/time, twice a day after meals
---	--	---

TRYMO TABLETS

Box of 14 blisters x 8 film coated tablets



Each film coated tablet contains: Bismuth trioxide 120 mg	Peptic ulcer, combined treatment for H.pylori	2 tablets/time, twice a day or 1 tablet/time, 4 times a day
--	--	--

MINIGADINE

Syrup - Bottle of 120 ml



Each 5 ml syrup contains: Calcium 35 mg, Iron 3 mg, Zinc 5 mg, Magnesium 5 mg, Manganese 2 mg, Iodine 50 µg	Provide minerals for children	Twice a day 1 - 6 years old: 2.5 ml/time, 7 - 15 years old: 5 ml/time
--	-------------------------------	---

CALCREM 15 g

1 tube of cream 15 g



Each 1 g cream contains: Clotrimazole 10 mg	Fungal infections on skin	Apply on skin twice a day
--	---------------------------	---------------------------

SILVIRIN

- 1 tube of cream 20 g
- Jar of cream 250 g



Each 1 g cream contains: Silver sulfadiazine 10 mg	Treatment and prevention of infection in burns	Apply once or twice a day
---	---	---------------------------

SUBSYDE-M

1 tube of gel 20 g



Each 1 g gel contains: Diclofenac 10 mg, Linseed oil 30 mg, Methyl salicylate 100 mg, Menthol 50 mg	Relieve pain, swelling and inflammation caused by arthritis	Apply 3 - 4 times a day on the healthy skin around the painful area
--	--	---

Product

Composition

Indication

Dosage & Administration

ZYTEE-RB

1 tube of gel 10 ml



Each 1 g gel contains:
Choline salicylate 90 mg,
Benzalkonium 0.2 mg


Relieves toothache, glossitis,
stomatitis, mouth ulcers,
other inflammatory lesions
in the mouth

Apply to damaged mucosa
every 3 - 4 hours

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------


LUCOVITAL VAGIMED VAGINAL DRYNESS

Box of 10 Ovules

	<p>Sodium hyaluronate</p>	<p>Relieve symptoms such as vaginal dryness, itching, burning and discomfort</p>	<p>1 ovule once a day before bedtime</p>
---	---------------------------	--	--


LUCOVITAL VAGIMED VAGINAL INFECTIONS

Box of 1 blister x 6 Capsules

	<p>Lactobacillus acidophilus 1.2x10⁹ CFU; spiny restharrow dried extract; cranberry extract; lactic acid</p>	<p>Control the pH, prevent the adhesion and proliferation of pathogens</p>	<p>1 capsule once a day</p>
---	---	--	-----------------------------

LUCOVITAL COUGH AND THROAT SPRAY

Spray - Bottle of 20 ml

	<p>Honey, Panthenol, Glycerin, Xylitol</p>	<p>Reduce sore throat, hoarseness and pain on swallowing</p>	<p>Please see the leaflet</p>
---	--	--	-------------------------------

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

RHINOVENT

Nasal spray - Bottle of 15 ml



Each spray dose contains:
Ipratropium bromid 42 µg

Runny nose

Please see the leaflet

PHILTOBAX

Eye Drops - Bottle of 5 ml



Each bottle (5ml) contains:
Tobramycin 15mg

Infections of the external
and appendages of the eye

Please see the leaflet

Product	Composition	Indication	Dosage & Administration
---------	-------------	------------	-------------------------

IRBEZYD H

Box of 3 blisters x 10 tablets



Each tablet contains:
 Irbesartan 150 mg
 + Hydrochlorothiazide 12.5 mg;
 or Irbesartan 300 mg
 + Hydrochlorothiazide 12.5 mg

Hypertension

1 tablet/time/day

LOSACAR-H

Box of 10 blisters x 10 tablets



Each tablet contains:
 Losartan 50 mg,
 Hydrochlorothiazide 12.5 mg

Hypertension

1 - 2 tablet/time/day

NEOLORIDIN

Box of 10 blisters x 10 tablets



Each film coated tablet contains:
 Desloratadine 5 mg

Allergy rhinitis, antihistamine

From 12 years old and adults:
 1 tablet once a day

FLUTIFLOW

Nasal spray suspensions - Bottle of 6 g or 12 g



Each spray contains:
 Fluticasone 0.5 mg

Allergic rhinitis

Please see the leaflet

Product

Composition

Indication

Dosage & Administration

PANLOZ 20

Box of 3 blisters x 10 enteric coated tablets



Each enteric coated tablet contains:
Pantoprazole 20 mg

Peptic ulcer and GERD

Peptic ulcer: 40 mg/time/day
GERD: 20 - 40 mg/time/day



TOP 10

Nearly 60 years established and developed, our company now expanded distribution system to 63 provinces in Vietnam. Beside our domestic products, we also co-operate with many partners around the world: Gedeon & Richter, Egis, Raptakos, ...

PHARMACEUTICAL DISTRIBUTION AND TRADING COMPANIES IN VIETNAM 2020

Ben Tre Pharmaceutical Joint Stock Company

Address: No.6A3, National Road 60, Phu Tan Ward,
Ben Tre City, Ben Tre Province, Vietnam.

Operating office: 11 Nguyen Trong Quyen,
Tan Thoi Hoa Ward, Tan Phu District,
Ho Chi Minh City, Vietnam.

Phone number: (028) 3622 0205 - 18001745

Email: bepharco.vietnam@bepharco.com

www.bepharco.com