GLOBAL PARTNERS WITH BEPHARCO

















CATALOGUE

BEN TRE PHARMACEUTICAL JOINT STOCK COMPANY



www.bepharco.com

Product	Active ingredient	Indication	Dosage & Administration
BECOLUGEL-O Suspe	nsion		
Becolugel-0 Recoluged 1 Recoluged 2 Recoluged 2 Recoluged 2 Recoluged 2 Recoluged 3	In 10 ml suspension contains: Aluminium oxide 291 mg, Magnesium hydroxide 196 mg, Oxethazain 20 mg	Peptic ulcer and increasing gastric acid secretion	Oral use 0.5 to 2 hours after meal Adult: 0.5 to 1 pouch four times daily
BECOLUGEL-S Suspe	nsion		
Becolugel-S S Long to the state of the sta	In 10 ml suspension contains: Aluminium oxide 400 mg, Magnesium hydroxide 800.4 mg, Simethicone 80 mg	Peptic ulcer and increasing gastric acid secretion	Oral use 0.5 to 2 hours after meal Adults: 0.5 to 1 pouch four times daily
GASMAGEL Suspension	n		
Gasmagel Gasmag	In 15 ml suspension contains: Almagate 1000 mg	GERD and peptic ulcer	From 12 yrs old: 1 pouch after meal 1 – 2 hours, four times daily Chilren from 6 to 12 yrs old (or 35 kg): Half of adult dose
THIDAMAGEL Susper	asion		
Thidamage Thidamage Thidamage Thidamage Thidamage	In 15 ml suspension contains: Almagate 1500 mg	GERD and peptic ulcer	From 12 yrs old: 1 pouch after meal 1 – 2 hours, three times daily Chilren from 6 to 12 yrs old (or 35 kg): Half of adult dose
BOSUZINC Syrup			
BOSUZINC SING PORT S	In 5 ml syrup contains: Zinc 10 mg	Treatment and prevention of zinc deficiency	2.5 to 10 ml once to three times daily
BECOLORAT Syrup			
SECURIAL SEC	In 5 ml syrup contains Desloratadine 2.5 mg	Antihistamine	2.5 – 10 ml once daily



Product	Active ingredient	Indication	Dosage & Administration
BECORIDONE Suspe	nsion		
ENDINGE IN THE PARTY OF THE PAR	In 1 ml suspension contains: Domperidone 1 mg	Vomiting and nausea	Maximum three times daily From 12 yrs old (or 35 kg): 10 ml Under 12 yrs old (or 35 kg): 0.25 – 0,75 mg/kg
BEFABROL Syrup			
DEFABROL DEFABR	In 5 ml syrup contains: Ambroxol 15 mg	Respiratory disease with abnormal secretion	5 to 20 ml twice or three times Maximum 60 ml per day
BEFADOL KID Susper	nsion		
	In 5 ml suspension contains: Paracetamol 150 mg	Fever and pain relief	10 to 15 mg per kg of weight
KIDIFUNVON Syrup			
THE PARTY OF THE P	In 5 ml syrup contains: Bromhexine 4 mg, Phenylephrine 2.5 mg, Guaifenesin 50 mg	Respiratory disease with abnormal secretion	2.5 to 10 ml three or four times daily

Product	Active ingredient	Indication	Dosage & Administration	
CẢM XUYÊN HƯƠNG	Hard capsule			
CAMAUYEN HUONE	From herbal ingredients	Treat and prevent from cold and flu symptoms	1 to 4 capsules, three or four times daily	
AN THẨN Hard capsule				
An Thân	From herbal ingredients	Insomnia, sleeping difficulty, stress, anxiety, palpitation	2 – 3 capsules three times daily	
HOẠT HUYẾT DƯỚNG	NÃO DUTAMGINKO (film/sugar co	ated tablet		
HOAT HUYET BUDNIG IAG	From herbal ingredients	Celebrovascular insufficiency, cognitive disorders, dementia, dizziness	Please see the leaflet	
PHONG TÊ THẤP	ard capsule			
PHONG TÉ THÁP THOMAS TÉ THÁP THOMAS TÉ THÁP	From herbal ingredients	Relieve pains due to athritis, muscles and joints	3 capsules, three times daily	
TAM THẤT BỔ MÁU -	YB Hard capsule			
TAM THAT DO MAINTE	From herbal ingredients	Treatment of anemia, fatigue, dizziness	Adults: 2 capsules twice daily Children: Half of adults dose	
ENTEKA – YB Hard C	ENTEKA – YB Hard capsule			
ENTEKANB	From herbal ingredients	Headache, migraine, angina due to circulatory insufficiency	1 to 3 capsules twice or three times daily	

Product	Active ingredient	Indication	Dosage & Administration
CẨM CỦM – HO YBA	Hard capsule		
Con con-so yan	From herbal ingredients	Treat and prevent from cough, cold and flu symptoms	2 to 4 capsules, three or four times daily
Folitat DẠ DẦY (Har	d capsule		
Day DAY OAD-WHO COMPANY OAD-WHO COMPAN	From herbal ingredients	Peptic ulcer, duodenal ulcer, bloating, heartburn, indigestion	Adults: 1 to 2 capsules three times daily Children: 1 capsule twice daily
HƯƠNG LIÊN YBA	Hard capsule		
HUON HUON HUONG LIËN VBA LETTER BERKER	From herbal ingredients	Diarrhea, digestive disorders, enteritis, colitis	Oral use three times daily, From 1 – 5 yrs old: 1 capsule From 5 – 12 yrs old: 2 capsules Over 12 yrs old: 3 capsules
Bổ HUYẾT ĐIỀU KINH	Hard capsule		
Sé serrit Digu KINH	From herbal ingredients	Support hormonal balance and blood tonic	3 capsules, three or four times daily
CẨM XUYÊN HƯƠNG	Granules		
CARRESTENSION CONTRUCTOR MUNICIPAL CONTROL CON	From herbal ingredients	Treat and prevent from cold and flu symptoms	Please see the leaflet
CẢM XUYÊN HƯƠNG	Syrup		
	From herbal ingredients	Treat and prevent from cold and flu symptoms	From 30 months: 7.5 to 15 ml, twice or three times daily

Product	Active ingredient	Indication	Dosage & Administration		
CẢM XUYÊN HƯƠNG I	PLUS Syrup				
COLDINATION COLD THE	From herbal ingredients	Treat and prevent from cold and flu symptoms	5 to 10 ml, twice daily		
BỔ PHẾ TIÊU ĐỜM	Syrup				
THE BOX	From herbal ingredients	Coughing with or without mucus and phlegm	From 2 yrs old: 5 to 15 ml four times daily		
THUỐC HO THẢO DƯỢ	Syrup				
Take 100°C	From herbal ingredients	Coughing with or without mucus and phlegm	From 5 yrs old: 10 to 15 ml twice or three times daily		
Bổ TÝ Syrup					
BÓ TÝ	From herbal ingredients	Stimulating appetite	10 to 20 ml three or four times daily		
H'TIÊN YBA Syrup					
HTIEN YEA	From herbal ingredients	Insomnia, stimulating appetite	From 6 yrs old: 15 to 20 ml three times daily		
ĐẠI TRÀNG HOÀN	ĐẠI TRẮNG HOẮN PILIS				
DAI TRÀNG HOÀN ON TRANSPORT	From herbal ingredients	Colitis, diarrhea, bloating and dyspepsia	2 packs three times daily		

Product	Active ingredient	Indication	Dosage & Administration
HƯƠNG LIÊN HOÀN	Pills		
Hương liên hoàn Thương liên hoàn Thương liên thoàn	From herbal ingredients	Diarrhea, digestive disorders, enteritis, colitis	Please see the leaflet
TRITA - YBA Pills			
TRITA-YBA	From herbal ingredients	Treatment of constipation and hemorrhoids	From 12 yrs old: 1 – 2 packs three times daily From 6 to 11 yrs old: Half dose of adults
HOÀN AN THAI Pills			
Hoan An Thai Com to remain measure.	From herbal ingredients	Threatened miscarriage, menorrhagia, loss of appetite, dizziness during pregnancy	2 packs three times daily
ACOCINA Tincture			
ACOCINA ACOCIN	From herbal ingredients	Relieve aches and pains of the muscles/joints	Apply on skin three or four times daily
CẨM XUYÊN HƯƠNG	Bathing water		
	From herbal ingredients	Treat and prevent from cold and flu symptoms	Please see the leaflet
CẢM XUYÊN HƯƠNG	Powder for bathing water		
The state of the s	From herbal ingredients	Treat and prevent from cold and flu symptoms	Please see the leaflet



Dayler .	Author Committee	Latin Con	0.41.	
Product	Active ingredient	Indication	Dosage & Administration	
ALLER FORT Film coa	ated tablet			
Aller fort	Each film coated tablet contains: Chlorpheniramine 2 mg, Phenylephrine 10 mg	Allergy rhinitis, antihistamine	1 tablet three times daily	
BECOBROL 30 Table	t			
Becotrol 30	Each tablet contains: Ambroxol 30 mg	Respiratory disease with abnormal secretion	Oral use twice or three times daily From 5 to 10 yrs old: 1/2 tablet Over 10 yrs old: 1 tablet	
BECOCYSTEIN Hard o	capsule			
Becocystein Becocystein	Each hard capsule contains: Acetylcysteine 200 mg	Respiratory disease with abnormal secretion	From 2 yrs old: 1 capsule twice daily	
BECOHISTA Film coate	ed tablet			
Decohista A manuacaran	Each film coated tablet contains: Cetirizine 10 mg	Antihistamine	From 6 yrs old: 1 tablet daily	
BECOPANTHYL Film	coated tablet			
BECOSANTHY.	Each film coated tablet contains: Fenofibrate 160 mg	Treatment of high level of cholesterol	From 10 yrs old: up to 5 mg/kg/day	
BECORAC Film coated	BECORAC Film coated tablet			
BECORAC And Authorized 20-ray As of Technologies Association and Authorized	Each tablet contains: Mefenamic acid 250 mg	Fever and pain relief	From 12 yrs old: 250 - 500 mg twice or three times daily	



Product	Active ingredient	Indication	Dosage & Administration		
BECOSEMID Film coat	BECOSEMID Film coated tablet				
Becosemid	Each tablet contains: Furosemide 40 mg	Edema and hypertension	Children: 2 to 6 mg per kg of weight, once per day Adults: 80 mg each time, up to twice per day		
BECOSTURON Tablet					
Becosturon	Each tablet contains: Cinnarizine 25 mg	Travel sickness, dizziness and sickness caused by inner ear problems	Please see the leaflet		
BECOTAREL Film coar	ted tablet				
Becotare	Each film coated tablet contains: Trimetazidine 20 mg	Treatment of angina and vascular diseases	Adults: 1 tablet twice or three times daily		
BEFADOL EXTRA	ablet				
Befadol II	Each tablet contains: Paracetamol 500 mg, Cafein 65 mg	Fever and pain relief	From 12 yrs old: 1 or 2 tablets every 4 to 6 hours. Maximum daily dose is 8 tablets		
BEFADOL PLUS Tab	let				
BEFADUL plus	Each tablet contains: Paracetamol 650 mg	Fever and pain relief	From 12 yrs old: 1 or 2 tablets every 4 to 6 hours. Maximum daily dose is 6 tablets		
BEFATROPYL Film co	BEFATROPYL Film coated tablet				
September 1997 Septem	Each film coat tablet contains: Piracetam 800 mg	Dementia, memory dysfunction, dizziness and seizure	Please see the leaflet		

Product	Active ingredient	Indication	Dosage & Administration
	Active ingredient	Illuication	Dusaye & Auministration
BEPAMIN Tablet			
unuasea Bepamin	Each tablet contains: Paracetamol 500 mg, Chlorpheniramine 2 mg	Treatment of fever and flu symptoms	Adultfs: 1 or 2 tablets, twice or three times daily
CETIRIZIN Film coated	tablet		
CETRIZIN See 11 d Constitution	Each film coated tablet contains: Cetirizine 10 mg	Antihistamine	Adults and children from 12 yrs old: 1 tablet daily
CLOPHENIRAMIN 4MG	Tablet		
Clorpheniramin 4 5	Each tablet contains: Chlopheniramine 4mg	Antihistamine	Please see the leaflet
CORITYNE Tablet			
Corityne	Each tablet contains: Loratadine 10 mg	Antihistamine	From 12 yrs old: 5 to 10 mg daily
DEXTROMETHORPHAN	Tablet		
THEORYTHOUSAND IN S.	Each tablet contains: Dextromethorphan 10 mg	Cough relief	Over 18 yrs old: 1 or 2 tablet, twice or three times daily From 2 to 18 yrs old: 1 tablet twice daily
DOMPERIDONE Tabl	et		
Domperidone O O	Each tablet contains: Domperidone 10 mg	Vomiting and nausea	From 12 yrs old: 1 tablet up to three times per day

Product	Active ingredient	Indication	Dosage & Administration
DROTACOLIC Tablet			
Control to the total DROTACOLIC Description-based at the count of the country conductors Control to the country conductors American control to the country conductors are considered as a control to the country conductors are considered as a conductor control to the country conductors are considered as a conductor conductor control to the country conductors are considered as a conductor conductor conductor conductors are considered as a conductor conductor conductor conductors are conductors as a conductor conductor conductor conductor conductor conductor conductor conductor conductors are conductors as a conductor	Each tablet contains: Drotaverine 40 mg	Relieve spasms of the stomach, intestines, urology and womb	Please see the leaflet
ESOPRAZOL Enteric-C	coated pellets capsule		
Esoprazol Esoprazol	Each capsule contains: Esomeprazole 20 mg	GERD and peptic ulcer	20 to 40 mg daily
FORCLAMID Tablet			
FORGLANIDE STATE AND ADDRESS OF THE PROPERTY O	Each tablet contains: Glimepiride 3 mg	Type II diabetes	Up to 8 mg daily
FOSTERVITA Film coa	ated tablet		
FOSTERVITA A STATEMENT A STAT	Each film coated tablet contains: Thiamine 100 mg, Pyridoxine 200 mg, Cyanocobalamine 200 mcg	Treatment of vitamin B dificiency	From 12 yrs old: 1 tablet daily
MELOXICAM Tablet			
D. D. Contents	Each tablet contains: Meloxicam 7,5 mg	Relieve pain, swelling, and stiffness caused by arthritis	1 to 2 tablet daily
MEPRED Tablet			
Mepred (6)	Each tablet contains: Methyl prednisolone 4 mg or Methyl prednisolone 16 mg	Inflammatory and allergy resistance, prevent organ rejection after a transplant	Starting with dose from 4 to 40 mg daily



Product	Active ingredient	Indication	Dosage & Administration	
MEYERSINA Film coa	ted tablet			
Martin 50	Each film coated tablet contains: Sildenafil 50 mg; or Sildenafil 100 mg	Treatment of erectile dysfunction	Adults: 50 to 100 mg once per day	
PIROXICAM Tablet				
A DIROXICAM	Each tablet contains: Piroxicam 20 mg	Relieve pain, swelling, and stiffness caused by arthritis	20 to 40 mg once daily	
PREDNISOLON Tabl	et			
PREDNISOLONE STATEMENT OF THE PROPERTY OF THE	Each tablet contains: Prednisolone 5 mg	Inflammatory and allergy resistance, prevent organ rejection after a transplant	Adults: 5 to 60 mg daily Children: 0.14 to 2 mg per kg of weight daily	
SORBITOL Sachet				
Sorbitol Service Sorbitol Line relations to the service S	Each sachet contains: Sorbitol 5 g	Treatment of frequent and irregular constipation	Adults: 1 to 3 sachet three times daily Children: half of adults dose	
SPAS-MEYER Film coated tablet				
Spas-Meyer Spas-Meyer	Each film coated tablet contains: Alverine citrate 40 mg	Relieve spasms of the stomach and intestines, urology and womb	1 or 2 tablets, one to three times daily	


Product	Active ingredient	Indication	Dosage & Administration
ENTEROGOLDS Hard	d capsule		
-Entero Golds	Each hard capsule contains: Bacillus clausii spores 2 x 10° CFU	Maintains the balance of gut flora	Children: 1 to 2 hard capsules daily Adults: 3 to 4 hard capsules daily
BIOLAC 500MG Har	rd capsule		
BIOLAC MANAGEMENT OF THE PROPERTY OF THE PROPE	Each hard capsule contains: living bacteria L.acidophilus 10 ⁶ – 10 ⁷ CFU, L.sporogenes 10 ⁶ – 10 ⁷ CFU, L.kefir 10 ⁶ – 10 ⁷ CFU	Maintains the balance of gut flora	From 6 to 18 yrs old: 1 to 2 hard capsules daily Over 18 yrs old: 2 to 4 hard capsules daily
ENTEROGRAN Sache	et		
Enterolital Enterolital	Each sachet contains: Bacillus clausii spores 2 x 10° CFU	Maintains the balance of gut flora	Children: 1 to 2 sachets daily Adults: 3 to 4 sachets daily
BIOSUBTYL-II Sache	et e		
BIOSUBTYL-II Mare year older Microsoft Control of Con	Each sachet contains: Bacillus subtilis spores 10 ⁷ – 10 ⁸ CFU	Maintains the balance of gut flora	Children: 1 to 2 sachets daily Adults: 2 to 4 sachets daily
ORESOL-II 4,15G	Sachet		
Oresol-II Oresol-II	Each sachet contains: Glucose 2.70 g, Sodium chloride 0.52 g, Sodium citrate dihydrate 0.58 g, Potassium dhloride 0.30 g	Rehydration and electrolytes	Dosage depends on age Please see the leaflet
ORESOL 20,5G Sach	net		
DESCRIPTION OF THE PROPERTY OF	Each sachet contains: Glucose 13.5 g, Sodium chloride 2.6 g, Sodium citrate dihydrate 2.9 g, Potassium chloride 1.5 g		Dosage depends on age Please see the leaflet



Product	Active ingredient	Indication	Dosage & Administration
AMOXYCILLIN 500MG	Hard capsule		
Amoxycilin sooms	Each hard capsule contains: Amoxicillin 500 mg	Treatment of infections with susceptible bacteria	Please see the leaflet
AMPICILIN 500MG	Hard capsule		
Ampicilin sound	Each hard capsule contains: Ampicillin 500 mg	Treatment of infections with susceptible bacteria	Please see the leaflet
CEPHALEXIN 500MG	Hard capsule		
Cephalexin Compared to the control of the control	Each hard capsule contains: Cephalexin 500 mg	Treatment of infections with susceptible bacteria	Please see the leaflet
TETRACYCLIN 500mg Hard capsule			
Tetracyclin 500 mg	Each hard capsule contains: Tetracyclin 500 mg	Treatment of infections with susceptible bacteria	Please see the leaflet

Product	Active ingredient	Indication	Dosage & Administration
BEATIL Tablet			
Contain Section 20 Sec	Each tablet contains: Perindopril 4 mg and Amlodipine 5 mg; or Perindopril 4 mg and Amlodipine 10 mg	Hypertension	1 tablet daily before meal
CAVINTON, CAVINTON	FORTE Tablet		
COMMENCE OF STATE OF	Each tablet contains: Vinpocetine 5 mg; or 10 mg	Treatment of cerebrovascular disorders such as stroke and dementia	5 to 10 mg three times daily starting with dose 20 mg daily
DIAPHYLLIN Venosum	Injection solution		
A later	In 5 ml solution contains: Theophyline ethylenediamine 240 mg	Asthma, chronic bronchitis, and COPD	Please see the leaflet
EDNYT Tablet			
	Each tablet contains: Enalapril 5 mg; or 10 mg	Hypertension	Starting with dose 5 to 10 mg once or twice daily. Maximum daily dose is 40 mg
LISONORM Tablet			
ONO ILSONORM	Each tablet contains: Amlodipine 5 mg Lisinopril 10 mg	Hypertension	1 tablet daily
MYDOCALM Film coate	d tablet		
ATTOCAL 10 mg	Each film coated tablet contains: Tolperisone 50 mg; or 150 mg	Muscle relaxation	50 to 150 mg three times daily

Product	Active ingredient	Indication	Dosage & Administration
NORMODIPINE Table	et		
NORMODIPINE Lines NORMODIPINE L	Each tablet contains: Amlodipine 5 mg	Hypertension	Starting with dose 5 mg daily Maximum daily dose is 10 mg
VEROSPIRON 25 mg	Tablet		
VEROSPIRON 25 mg	Each tablet contains: Spironolactone 25 mg	Hyperaldosteronism, low potassium levels, heart failure, edema	Please see the leaflet
VEROSPIRON 50 mg	Hard capsule		
VEROSPIRON 50 mg	Each hard capsule contains: Spironolactone 50 mg	Hyperaldosteronism, low potassium levels, heart failure, edema	Please see the leaflet
PANANGIN tab Film	coated tablet		
PANANGIY PANANGIY PANANGIY PANANGIY PANANGIY	Each film coated tablet contains: Magnesium aspartate 140 mg Potassium aspartate 158 mg	All states of deficiency of potassium and magnesium	Please see the leaflet
PANANGIN Inj Conc	centrated solution for injection		
PANANGIN" Događani d	In 10 ml solution contains: Magnesium aspartate 400 mg, Potassium aspartate 452 mg	All states of deficiency of potassium and magnesium	Please see the leaflet
QUAMATEL Powder for	r injection		
THE STATE OF THE S	Each vial contains: Famotidine 20 mg	Peptic ulcer, Zollinger-Ellison symptom, GERD and increasing gastric acid secretion	IV 20 mg each 6 to 12 hours



Product	Active ingredient	Indication	Dosage & Administration	
ALZEPIL Film coated ta	ALZEPIL Film coated tablet			
Account Alexander Alexande	Each tablet contains: Donepezil 5 mg	Treatment of the symptoms of Alzheimer	Adults: 5 to 10 mg once daily	
ARIPEGIS Tablet				
Aripegis 100 C C C C C C C C C C C C C C C C C C	Each tablet contains: Aripiprazole 10 mg or 15 mg	Treatment of the symptoms of schizophrenia	From 15 yrs old: 10 to 30 mg daily	
CLOSTILBEGYT Table	et			
Total Color rate Let 10 of note EGIN	Each tablet contains: Clomifene 50 mg	Induce ovulation in women who do not produce ova	Please see the leaflet	
DELORIN Film coated to	ablet			
Delorin Lacronic 10 og 4-17 entertal pred 4-17 entertal pred 100	Each film coated tablet contains: Rosuvastatin 10 mg	Treatment of high level of cholesterol, prevent heart and blood vessel disease	Starting with daily dose 5 to 10 mg Maximum 40 mg daily	
EGOLANZA Film coate	d tablet			
Tude sale means Egolanza* Unscapen 10 mg 4 vi x 7 viên niên bao phân	Each film coated tablet contains: Olanzapine 10 mg	Treatment of the symptoms of schizophrenia	Starting with dose from 10 mg per day Daily dose: 5 to 20 mg	
EROLIN Tablet				
Erolin® Loratadine 10 mg 3 vi x 10 viên nên	Each tablet contains: Loratadine 10 mg	Antihistamine	From 12 yrs old: 5 – 10 mg daily	



Product	Active ingredient	Indication	Dosage & Administration
NOCLAUD Tablet			
Nocland Nocland Nocland	Each tablet contains: Cilostazol 50 mg or 100 mg	The treatment of pain in the legs due to insufficient blood flow	100 mg twice daily
PAXIRASOL Tablet			
Paxirasol Bombane byterdenia 2 vi x 10 win nin	Each tablet contains: Bromhexine 8 mg	Respiratory disease with abnormal secretion	From 6 to 12 yrs old: 1 tablet three times daily Over 12 yrs old: 1 to 2 tablets three times daily
POLLEZIN Film coated	tablet		
Pollezin* 5 mg	Each film coated tablet contains: Levocetirizine 5 mg	Antihistamine	From 6 yrs old: 1 tablet once daily
TALLITON Tablet			
Talliton Some Some Some Some Some Some Some Some	Each tablet contains: Carvedilol 25 mg	Hypertension	Recommended dose: 25 mg once or twice daily
TORVAZIN Film coated	tablet		
Torvarin Torvarin Januarin Januar	Each film coated tablet contains: Atorvastatin 10 mg; or 20 mg	Treatment of high cholesterol, prevent heart and vascular disease	Starting with dose 10 mg daily Maximum daily dose is 80 mg
LIDOCAIN 2% Injection solution			
Lidocain 2) suici de Lidocain 10 sui suici de Lidocain 20 suici de Lidoc	In 10 ml solution contains: Lindocaine 200 mg	Anesthesia or loss of sensation for patients undergoing certain medical procedures	Please see the leaflet



Product	Active ingredient	Indication	Dosage & Administration
EGILOK Tablet			
Egilok To sy with To sy with	Each tablet contains: Metoprolol 100 mg	Hypertension	1 tablet, twice or three times daily Maximum 200 mg daily
EROLIN Syrup			
Erolin and Inspire Control of the Co	In 1 ml syrup contains: Loratadine 1 mg	Antihistamine	From 12 yrs old: 5 – 10 mg daily
HALIXOL Syrup			
Halixol' us Andrew hypothetic in 15 mg 5 ms 100 ms	In 5 ml syrup contains: Ambroxol 15 mg	Respiratory disease with abnormal secretion	Please see the leaflet



Product	Active ingredient	Indication	Dosage & Administration
		Illuication	Dosaye & Auministration
NEOPEPTINE Hard ca	apsule		ı
TO 1 10 Capacity DOCUMENT STATES Agreement Activities Agreement	Each hard capsule contains: Alpha-amylase (fungi 1:800) 100 mg Papaine 100 mg Simethicone 30 mg	Acidity, bloating and irritable bowel movement	1 capsule twice daily after meal
TRYMO TABLETS G	ilm coated tablet		
COLLOS DE SENSOR	Each film coated tablet contains: Bismuth trioxide 120 mg	Peptic ulcer, combined treatment of H.pylori	Please see the leaflet
MINIGADINE Syrup			
HINGHING TO THE PARTY OF THE PA	Each 5 ml syrup contains: Calcium 35 mg; Iron 3 mg; Zinc 5 mg; Magnesium 5 mg; Manganese 2 mg; lod 50 mcg	Prevent children from minerals dificiency	Use twice daily From 1 to 6 yrs old: 2.5 ml From 7 to 15 yrs old: 5 ml
CALCREM 15g Cream			
SO COLOREM SO COLOREM CALCREM SO COLORMAZOLE SP. RES BÖX CALCREM CALCR	Each 1 g cream contains: Clotrimazole 10 mg	Fungal infections on skin	Apply on skin twice daily
SILVIRIN Cream			
THE CONTROL OF THE CO	Each 1 g cream contains: Silver sulfadiazine 10 mg	Treatment and prevention of burns	Apply once or twice daily
SUBSYDE-M Get			
DICLOFENCE DICTIONAL COLUMN TO THE COLUMN T	Each 1 g gel contains: Diclofenac 10 mg; linseed oil 30 mg; Methyl salicylate 100 mg; Menthol 50 mg	Relieve pain, swelling and inflamation caused by athritis	Apply three or four times daily on the healthy skin around the painful area



Manufacturer


Product	Active ingredient	Indication	Dosage & Administration
ZYTEE-RB Oromucos	al gel		
To return the second se	Each 1 g gel contains: Choline salicylate 90 mg, Benzalkonium 0.2 mg	Mouth ulcers	Apply once each 3 to 4 hours daily

Manufacturer



Product	Active ingredient	Indication	Dosage & Administration		
LUCOVITAL VAGIMED	VAGINAL DRYNESS Ovules				
vehicle Variance Vehicle Variance Variance	Sodium hyaluronate	Relieve symptoms such as vaginal dryness, itching, burning and discomfort	Adults: 1 suppository before bedtime		
LUCOVITAL VAGIMED	LUCOVITAL VAGIMED VAGINAL INFECTIONS Capsules				
Total and Total	Lactobacillus acidophilus 1.2x10° CFU; spiny restharrow dried extract; cranberry extract; lactic acid	Control the pH, prevent the adhension and proliferation of pathogens	Adults: 1 vaginal capsule before bedtime		
LUCOVITAL COUGH AND THROAT SPRAY Spray					
XII 1000C	Honey, Panthenol, Glycerin, Xylitol	Reduce sore throat, hoarseness and pain on swallowing	From 5 yrs old: 1 to 4 sprays into the throat every 2 to 3 hours or whenever necessary (up to 6 times per day)		





Product	Active ingredient	Indication	Dosage & Administration
IRBEZYD H Tablet			
REEZYD H 150/12/5 REEZYD H 150/12/5 Commonwealth Common	Each tablet contains: Irbesartan 150 mg + Hydrochlothiazide 12.5 mg; or Irbesartan 300 mg + Hydrochlothiazide 12.5 mg	Hypertension	1 tablet daily
LOSACAR-H Tablet			
s x 4 x 10 Tablets Rx Losartan Potassium & Hydrochlorothiazide Tablets IP Losacar-H Potentiary - Trail Potentiary - Trail Redicts And Company - Trail Redicts Redicts	Each tablet contains: Losartan 50 mg, Hydrochlorothiazide 12.5 mg	Hypertension	1 – 2 tablets daily
NEOLORIDIN Film coa	ated tablet		
Desloratadine Tablets Smg NEOLORIDIN Schae	Each film coated tablet contains: Desloratadine 5 mg	Antihistamine	From 12 yrs old: 5 mg daily
FLUTIFLOW Nasal spr	ray suspension		
	Each spray contains: Fluticasone 50 mcg	Allergic rhinitis	From 12 yrs old: 2 to 8 sprays daily



Manufacturer

TORRENT INDIA •







Ben Tre Pharmaceutical Joint Stock Company

Address: No.6A3, National Road 60, Phu Tan Ward,
Ben Tre City, Ben Tre Province, Vietnam.

Operating office: 11 Nguyen Trong Quyen,
Tan Thoi Hoa Ward, Tan Phu District,
Ho Chi Minh City, Vietnam.

Phone number: (028) 3622 0205 - 18001745
Email: bepharco.vietnam@bepharco.com